



一、进入 grub 界面



二、按字母 e 进入编辑模式，如下图所示，此模式下只能通过键盘上下左右方向键移动光标；



三、如图所示，
在 linux 那一行，行尾添加 `console=tty0 init=/bin/bash`

```
GNU GRUB version 2.04

search --no-floppy --fs-uuid --set=root --hint-ieee1275='ieee1275\
//sas/disk0,gpt2' --hint-bios=hd0,gpt2 --hint-efi=hd0,gpt2 --hint-baremeta\
l=ahci0,gpt2 37806bb0-b215-465d-9756-89db5f1c6722
else
  search --no-floppy --fs-uuid --set=root 37806bb0-b215-465d-9756-8\
9db5f1c6722
fi
echo      'Loading Linux 5.4.18-77.66.jc-generic ...'
linux     /vmlinuz-5.4.18-77.66.jc-generic root=UUID=1588ed35-46\
46-4551-a93c-793fc66670aa ro quiet splash resume=UUID=aad04883-2709-4874\
-9053-0e9691e1bac4 audit=0 security=none
initrd    /initrd.img-5.4.18-77.66.jc-generic

Minimum Emacs-like screen editing is supported. TAB lists
completions. Press Ctrl-x or F10 to boot, Ctrl-c or F2 for a
command-line or ESC to discard edits and return to the GRUB menu.
```

```
GNU GRUB version 2.04

search --no-floppy --fs-uuid --set=root --hint-ieee1275='ieee1275\
//sas/disk0,gpt2' --hint-bios=hd0,gpt2 --hint-efi=hd0,gpt2 --hint-baremeta\
l=ahci0,gpt2 37806bb0-b215-465d-9756-89db5f1c6722
else
  search --no-floppy --fs-uuid --set=root 37806bb0-b215-465d-9756-8\
9db5f1c6722
fi
echo      'Loading Linux 5.4.18-77.66.jc-generic ...'
linux     /vmlinuz-5.4.18-77.66.jc-generic root=UUID=1588ed35-46\
46-4551-a93c-793fc66670aa ro quiet splash resume=UUID=aad04883-2709-4874\
-9053-0e9691e1bac4 audit=0 security=none console=tty0 init=/bin/bash_
initrd    /initrd.img-5.4.18-77.66.jc-generic

Minimum Emacs-like screen editing is supported. TAB lists
completions. Press Ctrl-x or F10 to boot, Ctrl-c or F2 for a
command-line or ESC to discard edits and return to the GRUB menu.
```

以上俩图是一样的

四、按 F10 或者 ctrl x 进入单用户

```
Booting a command list
Loading Linux 5.4.18-77.66.jc-generic ...
_
```

```
bash: cannot set terminal process group (-1): inappropriate ioctl for device
bash: no job control in this shell
root@kylinos:~#
```

如图所示，进入单用户成功