

Package xltabular

—
v0.1a (2018/05/23)

Rolf Niepraschk* Herbert Voß†

May 23, 2018

Contents

1	Introduction	1
2	Examples	2
2.1	The standard tabularx environment	2
2.2	The new environment xltabular	4
2.3	tabularx without a caption	7
2.4	xltabular with the star version of caption	8
2.5	xltabular with header/footer definitions	8

1 Introduction

The package ltablex supports an environment tabularx with the possibility of pagebreaks and the same header/footer definitions as in the package longtable. But the old behaviour of the tabularx environment is no more possible.

The package xltabular defines an environment of the same name which behaves like a tabularx as a longtable. In short: it is a longtable with the column specifier X. But it leaves the tabularx environment with its original behaviour.

The syntax of the environment is similar to the one of tabularx:

```
\begin{xltabular}[hPos]{width}{ 1 X ...}  
\caption{... \label{...}}\\  
tabular body  
\end{xltabular}
```

*Rolf.Niepraschk@gmx.de

†hvoss@tug.org

For the optional argument hPos (horizontal position) the values l, r and c (default) are possible. The environment xltabular uses longtable for typesetting the tabular. The original longtable increases the counter table in any case, with or without a caption. This is not the case with xltabular: no \caption, no counter change.

2 Examples

List of Tables

1	Using the original tabularx environment: a pagebreak not possible! This is the reason why the tabular moves to the next page.	2
2	the xltabular environment with longtable property	4
3	The xltabular environment with longtable property and left aligned by setting the optional argument.	6
4	File endings (only for a demonstration ...)	8

2.1 The standard tabularx environment

```

\captionaboveof{table}{Using the original \texttt{tabularx} environment:
  a pagebreak not possible! This is the reason why the tabular moves
  to the next page.}
\begin{tabularx}{0.75\linewidth}{@{} lX @{}}
left column & \blindtext\\
1           & \blindtext\\
left column & \blindtext\\
1           & \blindtext\\
\end{tabularx}

```

Table 1: Using the original tabularx environment: a pagebreak not possible! This is the reason why the tabular moves to the next page.

left column	Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.
1	Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.
left column	Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.
1	Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

2.2 The new environment `xltabular`

For the demonstration we use a tabular with only one X column. There is no difference to an example with more or other column specifiers. However, there should be at least one X column specifier; it makes no real sense otherwise.

```

\begin{xltabular}{\linewidth}{@{} X @{}}
\caption{the \texttt{xltabular} environment with \texttt{longtable}
        property}\[\belowcaptionskip]
\BB\
Now a manuel \cs{pagebreak} is used and on the
following page an automatic pagebreak is done by \texttt{longtable}.\
\pagebreak

\BBB
\end{xltabular}

```

Table 2: the `xltabular` environment with `longtable` property

Some nonsense text which fills at least one line of a tabular called nonsense tabular with text.
Some nonsense text which fills at least one line of a tabular called nonsense tabular with text.
Some nonsense text which fills at least one line of a tabular called nonsense tabular with text.
Some nonsense text which fills at least one line of a tabular called nonsense tabular with text.
Some nonsense text which fills at least one line of a tabular called nonsense tabular with text.
Some nonsense text which fills at least one line of a tabular called nonsense tabular with text.
Some nonsense text which fills at least one line of a tabular called nonsense tabular with text.
Some nonsense text which fills at least one line of a tabular called nonsense tabular with text.
Some nonsense text which fills at least one line of a tabular called nonsense tabular with text.
Some nonsense text which fills at least one line of a tabular called nonsense tabular with text.
Some nonsense text which fills at least one line of a tabular called nonsense tabular with text.
Some nonsense text which fills at least one line of a tabular called nonsense tabular with text.
Some nonsense text which fills at least one line of a tabular called nonsense tabular with text.
Some nonsense text which fills at least one line of a tabular called nonsense tabular with text.

Now a manuel `\pagebreak` is used and on the following page an automatik pagebreak is done by `longtable`.

Some nonsense text which fills at least one line of a tabular called nonsense tabular with text.
Some nonsense text which fills at least one line of a tabular called nonsense tabular with text.
Some nonsense text which fills at least one line of a tabular called nonsense tabular with text.
Some nonsense text which fills at least one line of a tabular called nonsense tabular with text.
Some nonsense text which fills at least one line of a tabular called nonsense tabular with text.
Some nonsense text which fills at least one line of a tabular called nonsense tabular with text.
Some nonsense text which fills at least one line of a tabular called nonsense tabular with text.
Some nonsense text which fills at least one line of a tabular called nonsense tabular with text.
Some nonsense text which fills at least one line of a tabular called nonsense tabular with text.
Some nonsense text which fills at least one line of a tabular called nonsense tabular with text.
Some nonsense text which fills at least one line of a tabular called nonsense tabular with text.

The command \BBB does nothing else then printing a lot of lines with nonsense.

```
\begin{xltabular}[1]{0.75\linewidth}{@{} lX @{}}
\caption{The \texttt{xltabular} environment with \texttt{longtable} property
        and left aligned by setting the optional argument.}\\[belowcaptionskip]\hline
Left column & At first a line with some nonsense text to show how long this line is.
                The caption has the same width as the text.\\
left column & \blindtext\\
left column & \blindtext\\
left column & \blindtext\\
left column & \blindtext\\
\end{xltabular}
```

Table 3: The xltabular environment with longtable property and left aligned by setting the optional argument.

Left column	At first a line with some nonsense text to show how long this line is. The caption has the same width as the text.
left column	Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift - not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

left column	Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift - not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.
left column	Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift - not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.
left column	Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift - not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

2.3 tabularx without a caption

Here comes another tabularx but without a caption. It should *not* increase the table counter. The following tabular in the last section should have the correct number!

.ext	Beschreibung
aux	(auxiliary) Hilfsdatei, enthält Querverweise usw.
bb1	(bibliography) Hilfsdatei, enthält die Einträge für die Literatur
bib	(bibtex) enthält die Literaturdaten
blg	(bibliography log) enthält die Ausgaben eines BibTeX-Laufs
cfg	(config) Konfigurationsdatei
clo	(class options) Definitionen für die Dokumentenklasse und die entsprechenden Klassen-Optionen

2.4 xltabular with the star version of caption

Here comes another xltabular with \caption*. It should *not* increase the table counter. The following tabular in the next section should have the correct number!

A caption as star version: no number no entry in the List of Tables

.ext	Beschreibung
aux	(auxiliary) Hilfsdatei, enthält Querverweise usw.
bb1	(bibliography) Hilfsdatei, enthält die Einträge für die Literatur
bib	(bibtex) enthält die Literaturdaten
blg	(bibliography log) enthält die Ausgaben eines BibTeX-Laufs
cfg	(config) Konfigurationsdatei
clo	(class options) Definitionen für die Dokumentenklasse und die entsprechenden Klassen-Optionen

2.5 xltabular with header/footer definitions

```

\begin{xltabular}{\linewidth}{@{} >{\ttfamily}l >{\RaggedRight}X @{}}
\caption{File endings (only for a demonstration \ldots)}\\ \hline
.EXT & Beschreibung\\ \hline
\endfirsthead
\multicolumn{2}{@{}l}{\ldots\ \small Fortsetzung}\\ \hline
.EXT & Beschreibung\\ \hline
\endhead
\hline
\multicolumn{2}{r@{}}{\small Fortsetzung\ldots}\\
\endfoot
\hline
\endlastfoot
aux & (auxiliary) Hilfsdatei, enthält Querverweise usw. \\
bb1 & (bibliography) Hilfsdatei, enthält die Einträge für die Literatur\\
bib & (bibtex) enthält die Literaturdaten\\
blg & (bibliography log) enthält die Ausgaben eines BibTeX-Laufs\\
cfg & (config) Konfigurationsdatei\\
clo & (class options) Definitionen für die Dokumentenklasse und die entsprechenden
[...]\
Klassen-Optionen\\
\end{xltabular}

```

Table 4: File endings (only for a demonstration ...)

.ext	Beschreibung
aux	(auxiliary) Hilfsdatei, enthält Querverweise usw.
bb1	(bibliography) Hilfsdatei, enthält die Einträge für die Literatur
bib	(bibtex) enthält die Literaturdaten

Fortsetzung...

... Fortsetzung

.ext	Beschreibung
blg	(bibliography log) enthält die Ausgaben eines BibTeX-Laufs
cfg	(config) Konfigurationsdatei
clo	(class options) Definitionen für die Dokumentenklasse und die entsprechenden Klassen-Optionen
aux	(auxiliary) Hilfsdatei, enthält Querverweise usw.
bb1	(bibliography) Hilfsdatei, enthält die Einträge für die Literatur
bib	(bibtex) enthält die Literaturdaten
blg	(bibliography log) enthält die Ausgaben eines BibTeX-Laufs
cfg	(config) Konfigurationsdatei
clo	(class options) Definitionen für die Dokumentenklasse und die entsprechenden Klassen-Optionen
aux	(auxiliary) Hilfsdatei, enthält Querverweise usw.
bb1	(bibliography) Hilfsdatei, enthält die Einträge für die Literatur
bib	(bibtex) enthält die Literaturdaten
blg	(bibliography log) enthält die Ausgaben eines BibTeX-Laufs
cfg	(config) Konfigurationsdatei
clo	(class options) Definitionen für die Dokumentenklasse und die entsprechenden Klassen-Optionen
aux	(auxiliary) Hilfsdatei, enthält Querverweise usw.
bb1	(bibliography) Hilfsdatei, enthält die Einträge für die Literatur
bib	(bibtex) enthält die Literaturdaten
blg	(bibliography log) enthält die Ausgaben eines BibTeX-Laufs
cfg	(config) Konfigurationsdatei
clo	(class options) Definitionen für die Dokumentenklasse und die entsprechenden Klassen-Optionen

References

- [1] David Carlisle: The longtable package, version 4.11, 2014, [/macros/latex/required/tools/longtable.pdf](#).
- [2] — The tabularx package, version 2.11, 2016, [/macros/latex/contrib/carlisle/](#).
- [3] Anil Goel: The ltablex package, version 1.1, 2014, [/macros/latex/contrib/ltablex/](#).